


**Situational Analysis on Capabilities of Primary Medical Care Institutes  
Towards  
Delivery of Primary Medical Care**

**North Central Province  
Reorganizing Primary Health Care in Sri Lanka  
Preserving our progress, preparing our future**

**Primary HealthCare System Strengthening Project (PSSP)  
May 2023**

**Situational Analysis on Capabilities of Primary Medical Care Institutes**  
**Towards**  
**Delivery of Primary Medical Care**  
**2023**



**North Central Province**

## Acknowledgment

This study was conducted for the fulfillment of activities related to Disbursement Linked Indicators of the Primary Health Care System Strengthening Project (PSSP), Ministry of Health.



I acknowledge the valuable guidance given by Dr. Deepika Attygalle, Senior Health Specialist at World Bank, South Asia, and the Task Team Leader for the project during the planning of the study. The advice and assistance given by Dr. Palitha Bandara, Provincial Director of North Central Province is sincerely recorded.

Similarly, the technical assistance given during the planning stage and active contribution extended to implement the study by, Dr.N.C.D. Ariyaratna, and Dr.W.K.W.S. Kumarawansa Regional Directors of Anuradhapura and Polonnaruwa respectively are endorsed with gratitude.

We highly appreciate the dedication and the commitment extended by all Medical Offices and staff members at the provincial and district level for their uphill task of collecting and entering the required data during the survey in a very short time period. Their tireless effort has significantly contributed to the overall success and quality of the survey results

Mr. Sri Mallikarachchi, M&E Specialist of the Project deserves commendation for his exemplary leadership and guidance in driving his team towards this successful accomplishment of the task. His precise guidance and utilization of appropriate methods for data gathering, cleaning, coding, tabulation, analysis, and producing the report has been instrumental in ensuring the accuracy and reliability of the survey report.

Special appreciation is extended to Mr. Pradeep Jayawardena and Ms. Upekshika Ranasinghe for their valuable contribution throughout the entire process, from the stage of developing and pre-testing the format, and data gathering through to the final reporting. Their dedication and commitment have played a crucial role in ensuring the success of the activity.

The active participation and contributions of Alvis de silva, Rohan Raj Perera, Prasanna Samarawikrama, A G Thanuja, Kaushalya Wijesinghe, Dulashi Wickramasinghe, Chandrika Madubhashini and Damith Senaka in the process of data gathering, report writing, and management processes of the survey are highly acknowledged:

As the Project Director, I express my sincere gratitude and unstinted thanks to all the officials who have contributed their time, energy, and expertise to the successful completion of the survey. Their dedication, cooperation, and hard work have been instrumental in gathering reliable data, cleaning, coding, and analyzing during a very short period in order to produce a comprehensive report.

Dr J.M.W. Jayasundara Bandara  
Project Director  
Primary HealthCare System Strengthening Project

## Table of Contents

<b>Abbreviation</b> .....	7
<b>Executive Summary</b> .....	8
<b>Introduction</b> .....	9
<b>Primary Medical care Institutions (PMCI) in North Central Province</b> .....	9
<b>Results</b> .....	11
<b>Services and Infrastructure</b> .....	11
<b>Current Status of Water Supply</b> .....	11
<b>Current Status of Well water (Protected or Unprotected)</b> .....	11
<b>Safe Drinking Water Availability in OPD and Clinic Area</b> .....	12
<b>Status of Electricity and Backup Generators</b> .....	12
<b>Availability of waste disposal methods and Clinical waste management</b> .....	13
<b>Physical space and Infrastructure at Primary Care Institutions</b> .....	14
<b>Services for curative and preventive care</b> .....	17
<b>Availability of Staff Quarters and Current Status</b> .....	19
<b>Services readiness at the PMCII</b> .....	20
<b>Facilities for sputum collection for TB screening</b> .....	21
<b>Facilities to deliver primary oral health care package</b> .....	21
<b>Facilities to manage the basic emergency</b> .....	22
<b>Counseling service through the hospital</b> .....	23
<b>Providing Mental Health activities or conducting clinics</b> .....	23
<b>Minimum preparedness for managing communicable diseases in epidemic nature</b> .....	24
<b>Medical equipment and other necessities for NCD screening and diagnosis</b> .....	25
<b>Human Resource Needs</b> .....	27
<b>Availability of Nursing Officers in position:</b> .....	27
<b>Other Essential Categories for Primary Healthcare Services</b> .....	29
<b>Patient record system and referral mechanism</b> .....	32
<b>Currently available digital patient record system</b> .....	32
<b>Internet connectivity</b> .....	33
<b>Laboratory Investigation Facilities</b> .....	33
<b>Providing laboratory services to nearby hospitals</b> .....	34
<b>Alternative Approaches for laboratory Services</b> .....	35
<b>Drug Supplies</b> .....	37
<b>Drugs Ordering and estimating annual drug requirement</b> .....	37
<b>Drug Storage Facilities</b> .....	40
<b>Citizen engagement committee and Grievances redress</b> .....	41
<b>Implementation and Analysis of Grievance Redress Mechanism</b> .....	43
<b>Annexure 01</b> .....	46

## List of Tables

Table 1 Survey of Primary Medical Care Institutes: Completion and Response Rate .....	9
Table 2 Current Status of Water Supply.....	11
Table 3 Current status of Well water (Protected or Unprotected).....	11
Table 4 Safer drinking Water availability in OPD and Clinic area.....	12
Table 5 Status of Electricity and Backup Generators .....	12
Table 6 Availability of Backup Generator - Divisional Hospitals .....	13
Table 7 Availability of Backup Generator - Divisional Hospitals .....	13
Table 8 Waste Disposal Methods .....	13
Table 9 Methods of Handling Clinical Waste .....	14
Table 10 Availability of waiting area the Patient.....	14
Table 11 Space adequacy for Dispensary.....	15
Table 12 Space adequacy for Dispensary / Dispensary Room .....	15
Table 13 Space for Restroom for Medical Officer.....	15
Table 14 Restroom for Nursing Officers.....	15
Table 15 Restroom for Other Staff.....	16
Table 16 Toilet facilities for patients.....	16
Table 17 Space for a meeting Room.....	16
Table 18 Space Pantry Area .....	16
Table 19 Dental Room Facilities.....	17
Table 20 ETU room/ Space for emergency care.....	17
Table 21 Dressing room/ space for wound care.....	17
Table 22 Injection room facilities .....	18
Table 23 Clinic Rooms.....	18
Table 24 Office Space for PHMs .....	18
Table 25 Space for breastfeeding.....	18
Table 26 Quarters for MOO .....	19
Table 27 Quarters for NOO.....	19
Table 28 Any Other Quarters .....	20
Table 29 Cervical Cancer Screening (PAP testing).....	20
Table 30 Facilities for sputum collection for TB screening.....	21
Table 31 Facilities to deliver primary oral health care package .....	21
Table 32 Facilities to manage the basic emergency .....	22
Table 33 Counseling service through the hospital .....	23
Table 34 Providing Mental Health activities or conducting clinics.....	23
Table 35 Separate areas to manage suspected patients of Covid-19 infection or any other epidemic .....	25
Table 36 Separate triage area Sign posted at the entrance of all hospitals .....	25
Table 37 Major symptoms/ risk factors should be displayed at the entrance All OPDs.....	25
Table 38 Equipment and other essential items used for NCD screening and Diagnosis .....	26
Table 39 Availability of Graduate Medical Officers.....	28
Table 40 Availability of RMO/AMO .....	28
Table 41 Availability of all medical Officers (Graduate MO and RMO) .....	28

Table 42 Availability of Nursing Staff .....	29
Table 43 Availability of Ward Sister .....	29
Table 44 Availability of Dental surgeon .....	30
Table 45 Availability of Medical Laboratory Technologists (MLT) .....	30
Table 46 Availability of PHNO .....	30
Table 47 Availability of Pharmacist .....	31
Table 48 Availability of Dispenser .....	31
Table 49 Availability of Development Officer .....	31
Table 50 Availability of Management Assistant .....	32
Table 51 Currently available digital patient record system .....	32
Table 52 Internet connectivity .....	33
Table 53 Nature of the connectivity .....	33
Table 54 Availability of Laboratory facilities .....	34
Table 55 Laboratory service providing .....	35
Table 56 Usage of alternative methods for blood glucose .....	36
Table 57 Usage of alternative methods for cholesterol .....	36
Table 58 Usage of alternative methods for creatinine .....	37
Table 59 Drugs Ordering .....	37
Table 60 Estimate annual drug requirements .....	38
Table 61 Shortfall of essential medicines at the institution .....	39
Table 62 Prescribe drugs & request patients to buy from outside .....	39
Table 63 Good storage facility with AC to store pharmaceuticals .....	41
Table 64 A refrigerator to store such required .....	41
Table 65 Awareness of Friend of Facility Committee “Suwaseva Mithuro” .....	42
Table 66 Establishment of “Suwaseva Mithuro” .....	42
Table 67 Establishment of “Suwaseva Mithuro” .....	43
Table 68 Any grievance/ suggestion box kept at the institution .....	44
Table 69 How frequently check the box .....	44
Table 70 Corrective measures are undertaken in such situations. ....	44

## Abbreviation

DHA	Divisional Hospital Type A
DHB	Divisional Hospital Type B
DHC	Divisional Hospital Type C
DLR	Disbursement Link Result
ETU	Emergency treatment Unit
FFC	Friends of facility Committees
GRM	Grievance Redress Mechanism
HHIMS	Hospital Health Information Management System
HIMS	Health Information Management System
LA	Local Authority
MLT	Medical Laboratory Technologists
MoH	Ministry of Health
MO	Medical Officer
NCD	Non-Communicable Disease
NO	Nursing Officer
OPD	Out Patients Division
PDHS	Provincial Director of Health Services
PHC	Primary health Care
PHNO	Public Health Nursing Officers
PMCI	Primary Medical Care Institute
PMCI	Primary Medical Care Institutes
PMCU	Primary Medical Care Unit
PSSP	Primary Health Care System Strengthening Project
RDHS	Regional Directors of Health Services
RMO	Registered Medical Officer
TB	Tuberculosis

## Executive Summary

As per the agreement signed between the government of Sri Lanka and the World Bank in 2018 for reorganization of Primary Care System a province wise situational analysis was expected to be conducted two times; one before the implementation of project in 2019 and the other in 2023. This survey was conducted in accordance with the agreement.

Out of 77 PMCII in North Central province all 77 have responded during the data collection. The survey included the following areas of concerns which are directly related to the responsive and qualitative primary care services delivered to people. Relevant questions were included in the questioner with regard to Current Status of Water Supply, Status of Electricity and Backup Generators, Availability of waste disposal methods and Clinical waste management, Physical space and Infrastructure at Primary Care Institutions , Services for curative and preventive care, Availability of Staff Quarters and Current Status, Services readiness at the PMCIs, Minimum preparedness for managing communicable diseases in epidemic nature, Medical equipment and other necessities for NCD screening and diagnosis, Human Resource Needs, Patient record system and referral mechanism, Internet connectivity, Laboratory Investigation Facilities, Drug Supply, Drug Storage Facilities, Citizen engagement committee and Grievances redress, Implementation and Analysis of Grievance Redress Mechanism.

Many areas including infrastructure development utilities such as water supply and electricity are showing an improvement compared to the previous survey. However, areas such as human resource, accessibility to laboratory facilities, internet connectivity including health information system and the grievance redress mechanism leading to responsiveness should be given priority attention in future development procedures.

## Introduction

A comprehensive gap analysis was conducted in year 2018 before implementing the PSSP activities in provinces. After four and half years approximately, a similar study was done to gather information on services and infrastructure across all hospitals in the province again. The purpose of this analysis was to identify gaps in various areas including infrastructure, service provision, equipment requirements, support services, human resources need, citizen engagement status, and gaps in health information systems even after a considerable investment done through the project implementation.

By conducting this gap analysis, valuable insights were obtained regarding the current state of healthcare facilities and services in the province. The identified gaps will serve as a base for developing action plans with targeted strategies to address the identified areas for improvement. This analysis plays a crucial role in enhancing the overall quality of healthcare delivery and ensuring the provision of efficient and effective services to meet the needs of the population.

### Primary Medical care Institutions (PMCI) in North Central Province

Figures in the table below indicate the number of PMCIs (DHA, DHB, DHC and PMCU) which have completed the questionnaire.

*Table 1 Survey of Primary Medical Care Institutes: Completion and Response Rate*

RDHS Area	Divisional Hospital A	Divisional Hospital B	Divisional Hospital C	PMCU	Total	Response rate %
Anuradhapura	1	10	21	21	53	100
Polonnaruwa		3	6	15	24	100
<b>Total</b>	<b>1</b>	<b>13</b>	<b>27</b>	<b>36</b>	<b>77</b>	

## Methodology

To achieve the DLR 3.3 in the Result Framework, during the pre-planning stage of the activity, several meetings were conducted with the provincial health authorities to obtain their insights and views to develop the data collection format compared with the previous format which was used in the year 2018. Based on the comments and insights, a draft questionnaire (**Annexure 01**) was developed and tested in the field. Thereafter all relevant Medical Officers in the PDHS office and two RDHS offices were educated on how to use the questionnaire effectively. The training aimed to ensure that the Medical Officers have understood the purpose of the questionnaire, its specific questions, and the proper application for data collection.

The training provided guidance on administering the questionnaire, including instructions on how to approach respondents, how to record their responses accurately, and how to feed the collected information into Google Form.

Collected data were subjected to a data cleaning process to ensure accuracy and consistency. This involved reviewing the data for any errors, inconsistencies, or missing values, and correcting or removal was affected as necessary.

Once the data cleaning was completed, the cleaned data was coded and tabulated to organize it in a structured format suitable for analysis. This tabulation involved arranging the data in rows and columns, with each row representing a respondent and each column representing a specific variable or question in the questionnaire.


The structured data set was analyzed by using statistical methods in SPSS and MS Excel to produce tables and graphs. Finally, the information derived from the analysis will be used for verification purposes.

## Results

### Services and Infrastructure Current Status of Water Supply

Table 2 Current Status of Water Supply

RDHS Area	Well water	Tube water	Pipe Born	More Than One Source	Well+ Tube	Well + Pipe born	Not reported	Total
Anuradhapura	19	5	26	1	1		1	53
Pollonnaruwa	6	3	13			2		24
<b>Total</b>	<b>25</b>	<b>8</b>	<b>39</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>77</b>



Based on the provided information, it indicates that 33% of the hospitals used well water as a source for their day-to-day activities. Similarly, 10% of the hospitals relied on tube well water as a source. On the other hand, the majority of hospitals, totaling 51%, utilized town water supply as their water source for daily utilization. It helps to identify potential gaps or areas that may require attention, such as ensuring adequate access to clean and safe water sources for maintaining hygienic standards in therapeutic interventions within the healthcare facilities.

### Current Status of Well water (Protected or Unprotected)

Table 3 Current status of Well water (Protected or Unprotected)


RDHS Area	Protected	Unprotected	Total
Anuradhapura	9	10	19
Polonnaruwa	6		6
<b>Total</b>	<b>15</b>	<b>10</b>	<b>25</b>

Based on the information provided, it appears that in Anuradhapura district, 47.3% of the PMCII wells are protected whereas in Pollonnaruwa area, 100% of the wells are protected.

### Safe Drinking Water Availability in OPD and Clinic Area

Table 4 Safer drinking Water availability in OPD and Clinic area

RDHS Area	Safe Drinking Water Available	Safe water is not Available	Not Reported	Total
Anuradhapura	41	11	1	53
Pollonnaruwa	17	7		24
<b>Grand Total</b>	<b>58</b>	<b>18</b>	<b>1</b>	<b>77</b>



Ensuring the availability of safe drinking water in the outpatient department (OPD) and clinic areas is essential for maintaining the health and well-being of patients, visitors, and healthcare providers. 58 (75%) PMCII Provide safe drinking water while 18 (23%) PMCII, specifically 11 in Anuradhapura, and 7 in Pollonnaruwa, currently do not have access to safe drinking water in OPD and Clinics.

### Status of Electricity and Backup Generators

Table 5 Status of Electricity and Backup Generators

	Divisional Hospital A	Divisional Hospital B	Divisional Hospital C	PMCU	Total
Main Line	1	13	27	35	76
Not reported				1	1
<b>Total</b>	<b>1</b>	<b>13</b>	<b>27</b>	<b>36</b>	<b>77</b>

## Availability of Backup Generator - Divisional Hospitals

Table 6 Availability of Backup Generator - Divisional Hospitals

RDHS Area	Available	Not Available	Total
Anuradhapura	32		32
Pollonnaruwa	8	1	9
<b>Total</b>	<b>40</b>	<b>1</b>	<b>41</b>

## Current Condition of Backup Generators - Divisional Hospitals

Table 7 Availability of Backup Generator - Divisional Hospitals

RDHS Area	Working	Not Working	Total
Anuradhapura	30	2	32
Pollonnaruwa	8		8
<b>Total</b>	<b>38</b>	<b>2</b>	<b>40</b>

It appears that all PMCII (except one not reported) are connected to the main electricity line, ensuring a reliable power supply. However, there is one divisional hospital in Polonnaruwa District that does not have a backup generator, which may pose a potential risk during power outages or emergencies. Out of the available generators in 40 hospitals, 2 are not in working condition.

Immediate attention should be paid to the hospital where there is no backup generator and the places where the two generators are not functioning.

## Availability of waste disposal methods and Clinical waste management

Table 8 Waste Disposal Methods

RDHS Area	Segregation Done	Not Done	Not Reported	Total
Anuradhapura	48	5		53
Pollonnaruwa	19	4	1	24
<b>Total</b>	<b>67</b>	<b>9</b>	<b>1</b>	<b>77</b>

Table 9 Methods of Handling Clinical Waste

RDHS Area	Burning	Incinerating	sending to incineration Available Hospital	Sending to LAs	Not Reported	Total
Anuradhapura	10		41	2		53
Pollonnaruwa	20	1	2		1	24
<b>Total</b>	<b>30</b>	<b>1</b>	<b>43</b>	<b>2</b>	<b>1</b>	<b>77</b>

As per the provided information, it is evident that waste segregation methods are being followed in 67 PMCII, while 9 PMCI do not adhere to such practices. The majority of PMCI (43) are sending their clinical waste to nearby hospitals for incineration, whereas 2 hospitals are sending their clinical waste to the local authority.

### Physical space and Infrastructure at Primary Care Institutions

Physical infrastructure of Primary Healthcare Institutions (PMCII), including outpatient departments (OPDs) and clinics, should possess a specific physical space in accordance with spatial norms outlined in the circular 01-29/2018 dated 29.06.2018 issued by the Ministry of Health (MoH) to effectively deliver primary healthcare services. There are some common requirements for PMCII: waiting areas, Space for dispensary, drug stores, Laboratory, Rest rooms for staff, space for toilets etc. Based on the findings compared to the specific requirements for PMCI, provincial health authorities should analyze the space requirements considering the given circular, particularly focusing on waiting area, Space for laboratory, dispensary, drug stores and any other places according to priorities. Out of the total of 77 PMCI, 54 have adequate waiting areas for the public, while 23 hospitals do not meet the space requirements as specified in the circular. Accordingly, the following tables show the status of different service areas: availability/non availability, adequacy of space in PMCII.

### Space for patient waiting

Table 10 Availability of waiting area the Patient

RDHS Area	Adequate	Not adequate	Total
Anuradhapura	31	22	53
Pollonnaruwa	23	1	24
<b>Total</b>	<b>54</b>	<b>23</b>	<b>77</b>

## Space for Drug Dispensary

Table 11 Space adequacy for Dispensary

RDHS Area	Adequate	Not adequate	Total
Anuradhapura	37	16	53
Pollonnaruwa	22	2	24
<b>Total</b>	<b>59</b>	<b>18</b>	<b>77</b>

## Space for Drug Stores

Table 12 Space adequacy for Dispensary / Dispensary Room

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	29	23	1		53
Pollonnaruwa	20	2		2	24
<b>Total</b>	<b>49</b>	<b>25</b>	<b>1</b>	<b>2</b>	<b>77</b>

## Space for Restroom facilities for Medical Officer

Table 13 Space for Restroom for Medical Officer

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	20	2	31		53
Pollonnaruwa	14	2	7	1	24
<b>Total</b>	<b>34</b>	<b>4</b>	<b>38</b>	<b>1</b>	<b>77</b>

## Restroom for Nursing Officers

Table 14 Restroom for Nursing Officers

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	24	3	26		53
Pollonnaruwa	9	1	11	3	24
<b>Total</b>	<b>33</b>	<b>4</b>	<b>37</b>	<b>3</b>	<b>77</b>

## Restroom for Other Staff

Table 15 Restroom for Other Staff

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	30	3	20		53
Pollonnaruwa	12	2	9	1	24
<b>Total</b>	<b>42</b>	<b>5</b>	<b>29</b>	<b>1</b>	<b>77</b>

## Toilet facilities for patients

Table 16 Toilet facilities for patients

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	39	11	3		53
Pollonnaruwa	15	6	1	2	24
<b>Total</b>	<b>54</b>	<b>17</b>	<b>4</b>	<b>2</b>	<b>77</b>

## Space for a meeting Room

Table 17 Space for a meeting Room

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	39	11	3		53
Pollonnaruwa	15	6	1	2	24
<b>Total</b>	<b>54</b>	<b>17</b>	<b>4</b>	<b>2</b>	<b>77</b>

## Space for Pantry Area

Table 18 Space Pantry Area

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	15	2	36		53
Pollonnaruwa	14	1	7	2	24
<b>Total</b>	<b>29</b>	<b>3</b>	<b>43</b>	<b>2</b>	<b>77</b>

## Services for curative and preventive care

To enhance delivery of curative and preventive care in Primary Health Care Institutes (PMCII) where facilities are insufficient or nonexistent, it is essential to improve the required facilities and spaces. This will ensure that the PMCII in the district can effectively meet the healthcare needs of the community. The table of availability of ETU room/ Space for emergency care indicates that out of the 77 PMCII assessed, 36 of them have adequate space for emergency care. However, there are 10 PMCII that do not have sufficient space, while 31 PMCII do not have a designated space for delivering emergency care. In this context, provincial health authorities should take immediate necessary actions to establish a space for ETUs, even at the smallest centers, “PMCU.”

### Dental Room Facilities

Table 19 Dental Room Facilities

RDHS Area	Adequate	Not adequate	Not Available	Total
Anuradhapura	14	2	37	53
Pollonnaruwa	10	2	12	24
<b>Total</b>	<b>24</b>	<b>4</b>	<b>49</b>	<b>77</b>

### ETU room/ Space for emergency care

Table 20 ETU room/ Space for emergency care

RDHS Area	Adequate	Not adequate	Not Available	Total
Anuradhapura	25	7	21	53
Pollonnaruwa	11	3	10	24
<b>Total</b>	<b>36</b>	<b>10</b>	<b>31</b>	<b>77</b>

### Dressing room/ space for wound care

Table 21 Dressing room/ space for wound care

RDHS Area	Adequate	Not adequate	Not Available	Total
Anuradhapura	36	8	9	53
Pollonnaruwa	16	4	4	24
<b>Total</b>	<b>52</b>	<b>12</b>	<b>13</b>	<b>77</b>

## Injection room facilities

Table 22 Injection room facilities

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	17	2	34		53
Pollonnaruwa	13	2	7	2	24
<b>Total</b>	<b>30</b>	<b>4</b>	<b>41</b>	<b>2</b>	<b>77</b>

## Clinic Rooms

Table 23 Clinic Rooms

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	34	4	15		53
Pollonnaruwa	15	3	5	1	24
<b>Total</b>	<b>49</b>	<b>7</b>	<b>20</b>	<b>1</b>	<b>77</b>

## Office Space for PHMs

Table 24 Office Space for PHMs

RDHS Area	Adequate	Not Available	Not Reported	Total
Anuradhapura	20	33		53
Pollonnaruwa	11	10	3	24
<b>Total</b>	<b>31</b>	<b>43</b>	<b>3</b>	<b>77</b>

## Space for breastfeeding

Table 25 Space for breastfeeding

RDHS Area	Adequate	Not adequate	Not Available	Not Reported	Total
Anuradhapura	2		51		53
Pollonnaruwa	3	1	17	3	24
<b>Total</b>	<b>5</b>	<b>1</b>	<b>68</b>	<b>3</b>	<b>77</b>

## Availability of Staff Quarters and Current Status

Staff quarters play a crucial role in ensuring uninterrupted healthcare services, particularly in remote areas. It is essential to have designated quarters for Medical Officers (MOOs) and Nursing Officers (NOOs) to enable them to provide uninterrupted services. However, the following tables indicate the existence of underutilized quarters. Specifically, 12 quarters are underutilized by MOOs, 6 by NOOs, and an additional 6 quarters by other staff categories. Moreover, there is a shortage of quarters availability for MOOs (16), NOOs (48), and other staff (90).

These findings highlight the need for provincial authorities to analyze the situation and prioritize the provision of appropriate facilities based on requirements. It is important to assess the specific needs of MOOs, NOOs, and other staff members and allocate quarters accordingly. By addressing these issues, provincial authorities can ensure that healthcare professionals have suitable accommodation to ensure their continuous service delivery in remote areas.

### Quarters for MOO

Table 26 Quarters for MOO

RDHS Area	Fully Utilized	Under-Utilized	Not Available	Not Reported	Total
Anuradhapura	38	6	8	1	53
Pollonnaruwa	10	6	8		24
<b>Total</b>	<b>48</b>	<b>12</b>	<b>16</b>	<b>1</b>	<b>77</b>

### Quarters for NOO

Table 27 Quarters for NOO

RDHS Area	Fully Utilized	Under-Utilized	Not Available	Not Reported	Total
Anuradhapura	13	4	34	2	53
Pollonnaruwa	2	2	14	6	24
<b>Total</b>	<b>15</b>	<b>6</b>	<b>48</b>	<b>8</b>	<b>77</b>

## Any Other Quarters

Table 28 Any Other Quarters


RDHS Area	Fully Utilized	Under-Utilized	Not Available	Not Reported	Total
Anuradhapura	20	4	23	6	53
Pollonnaruwa	3	2	7	12	24
<b>Total</b>	<b>23</b>	<b>6</b>	<b>30</b>	<b>18</b>	<b>77</b>

## Services readiness at the PMCII

### Cervical Cancer Screening (PAP smear testing)

Table 29 Cervical Cancer Screening (PAP testing)

RDHS Area	Facility Available	Not available	Not reported	Total
Anuradhapura	4	49		53
Pollonnaruwa	2	21	1	24
<b>Total</b>	<b>6</b>	<b>70</b>	<b>1</b>	<b>77</b>




The pie chart drawn using the provided information illustrates the distribution of PMCIs with the service availability for Pap tests. Out of a total of 77 PMCIs, 91% have reported having the availability of the service for PAP tests, while 8% of PMCIs do not have such facilities.

Further analysis reveals that among the 67 PMCU facilities, 50 PMCU are lacking the infrastructure for conducting PAP tests, as indicated in the detailed sheet. These findings highlight the significant gap in the readiness for PAP tests within the PMCU if the Medical Officer of health needs to conduct well women clinic in the PMCU for cervical cancer screening.

## Facilities for sputum collection for TB screening

Table 30 Facilities for sputum collection for TB screening

RDHS Area	Facility Available	Not available	Not reported	Total
Anuradhapura	16	37		53
Polonnaruwa	3	20	1	24
<b>Total</b>	<b>19</b>	<b>57</b>	<b>1</b>	<b>77</b>




As per the above information, a significant majority of PMCI, specifically 74%, do not have the necessary facilities to collect sputum for TB screening. This indicates a substantial gap in infrastructure and resources, which can hinder the effective screening and diagnosis of tuberculosis (TB) cases.

On the other hand, a smaller percentage of PMCI, accounting to 25%, do have the required facilities for sputum collection for TB screening. However, as sputum collection centers cannot be established in each PMCI the staff is encouraged to identify those who need to be investigated for TB are compulsorily referred to those hospitals with facilities.

## Facilities to deliver primary oral health care package

Table 31 Facilities to deliver primary oral health care package

RDHS Area	Facility Available	Not available	Not reported	Total
Anuradhapura	24	29		53
Polonnaruwa	10	13	1	24
<b>Total</b>	<b>34</b>	<b>42</b>	<b>1</b>	<b>77</b>




The table above shows that 44% of PMCII have the necessary facilities to deliver primary oral health care packages. This indicates that almost half of the PMCII surveyed are equipped with technology and Human Resource to provide essential oral health services to patients.

However, it is noteworthy to mention that 55% of Primary Medical Care Institutes do not have the required facilities to deliver primary oral health care at present. It appears to be a significant gap in delivery of primary care so that authorities are encouraged to pay attention as oral health care is an essential commodity in any population.

### Facilities to manage the basic emergency

Table 32 Facilities to manage the basic emergency

RDHS Area	Facility Available	Not available	Not reported	Total
Anuradhapura	33	20		53
Pollonnaruwa	15	8	1	24
<b>Total</b>	<b>48</b>	<b>28</b>	<b>1</b>	<b>77</b>



Referring to the provided information, it is commendable to note that 62% of PMCIIs in the province are equipped to provide basic emergency care services to the public. This indicates a


significant achievement in ensuring that a majority of PMCII have the necessary facilities and resources to handle emergency situations effectively.

However, 37% of PMCII still do not have the required facilities to fulfill the basic emergency care needs. Maximum efforts should be made to address this gap and ensure that all PMCII in the province are prepared to handle emergency situations promptly and efficiently.

### Counseling service through the hospital

Table 33 Counseling service through the hospital

RDHS Area	Facility Available	Not available	Not reported	Total
Anuradhapura	31	22		53
Pollonnaruwa	10	13	1	24
<b>Total</b>	<b>41</b>	<b>35</b>	<b>1</b>	<b>77</b>




As per the table above, it is commendable to note that 53% of PMCIs in the province provide counseling services to the public. This indicates a significant achievement in ensuring that a majority of PMCIs have the necessary facilities and resources to handle counseling activities effectively.

However, it is also important to note that 46% of PMCIs still do not have such facilities to ensure better mental healthcare for people.

### Providing Mental Health activities or conducting clinics

Table 34 Providing Mental Health activities or conducting clinics

RDHS Area	Facility Available	Not available	Not reported	Total
Anuradhapura	8	42	3	53
Pollonnaruwa	3	20	1	24
<b>Total</b>	<b>11</b>	<b>62</b>	<b>4</b>	<b>77</b>



Mental healthcare activities play a significant role in providing essential primary care services to individuals in need. However, the above information indicates that it is of great concern that 81% of the PMCII surveyed do not have a dedicated mental healthcare clinics service. This indicates a significant gap in the availability of mental health services within the PMCII creating a big vacuum in the accessibility of rural community of North Central province to the mental health services.

On a positive note, 14% of the PMCIIs have the necessary facilities to provide mental healthcare services

### **Minimum preparedness for managing communicable diseases in epidemic nature**

It is essential that Primary Health Care Centers (PMCII) should have the designated separate areas to effectively manage suspected patients with Covid-19 infection or other similar outbreaks. These designated spaces are required from the entry point of the hospital, to isolate the patients at risk and provide treatment in isolation to minimize the transmissibility of the disease to non-infected people. Furthermore, PMCIIs should establish an area to display common signs and symptoms of the disease, separate triage areas to efficiently assess the health conditions of patients.

It is important for PMCIIs to display the major symptoms associated with communicable diseases or outbreaks. These displays raise awareness among patients and visitors, allowing them to recognize possible exposure so that they will take an alternative path without being mixed with others.

Specifically focusing on divisional hospitals, of which the analysis was conducted, revealed the following findings: out of the 41 divisional hospitals, 5 have designated separate areas available, 17 DHH have established triage areas, and 14 DHH display major symptoms at the entrance of their Outpatient Departments (OPDs). It is essential that all PMCII should improve their preparedness for managing outbreaks before the next epidemic comes to country.

By incorporating these measures into PMCII, healthcare facilities demonstrate their readiness to effectively manage and respond to communicable diseases or outbreaks, ensuring the safety of patients, visitors, and healthcare staff.

## Separate areas to manage suspected patients of Covid-19 infection or any other epidemic

Table 35 Separate areas to manage suspected patients of Covid-19 infection or any other epidemic

RDHS Area	Available	Not Available	Total
Anuradhapura		32	32
Pollonnaruwa	5	4	9
<b>Total</b>	<b>5</b>	<b>36</b>	<b>41</b>

## Separate triage area Sign posted at the entrance of all hospitals

Table 36 Separate triage area Sign posted at the entrance of all hospitals

RDHS Area	Available	Not Available	Not Reported	Grand Total
Anuradhapura		53		53
Pollonnaruwa	9	13	2	24
<b>Grand Total</b>	<b>9</b>	<b>66</b>	<b>2</b>	<b>77</b>

## Major symptoms/ risk factors should be displayed at the entrance All OPDs

Table 37 Major symptoms/ risk factors should be displayed at the entrance All OPDs

RDHS Area	Available	Not Available	Total
Anuradhapura	6	26	32
Pollonnaruwa	8	1	9
<b>Total</b>	<b>14</b>	<b>27</b>	<b>41</b>

## Medical equipment and other necessities for NCD screening and diagnosis

The survey focused on identifying the availability and adequacy of essential medical equipment for NCD screening and diagnosis in PMCII. The results of the survey indicate that there are deficiencies and unavailability of certain items in some PMCII. In order to ensure uninterrupted PHC (Primary Healthcare) services, it is inevitable for provincial authorities to take action and provide the required items to the PMCII priority basis.

Table 38 Equipment and other essential items used for NCD screening and Diagnosis

No	List of equipment	Anuradhapura			Polonnaruwa		
		AD	NAD	NA	AD	NAD	NA
1	BPA	53			23	1	
2	Microscope	19		34	2	1	19
3	Thermometer	28	25		15	7	
4	Nebulizer	45	7	1	23	1	
5	ECG machine	38	6	9	15	1	5
6	Oxygen supply cylinders	36		17	17		5
7	Ophthalmoscope	32	2	19	20		4
8	Measurement tape & stadiometer	47	2	4	20		2
9	Weighing machine	39	5	9	23	1	
10	Pulse oximeter	33	3	17	20		2
11	Glucometer and strips	49	1	3	21	1	
12	Cholesterol meter and strips	33		20	16	3	
13	Urine ketone tests	3		50	2		15
14	Spaces for inhalers	24		28	12		6
15	Tuning fork	6		47	5	1	12
16	Snellen chart	34	3	16	13		4
17	Torch	40	5	8	13	1	4
18	WHO/ISH prediction chart	39		14	9	2	9
19	Evidence based clinical protocols	34		19	8	1	8
20	Flow charts with referral criteria	34		19	7		7
21	Patient clinical records	46		7	18		
22	Medical information register	53			11	1	2
23	Stethoscope	36	11	6	11	1	3

24	Weight scale with or without Hight measuring	26	2	25	15	2	
25	Hight measuring rode for children and adult	38	2	13	13	1	1
26	Weighing scale for infants	29	1	23	7	1	8
27	length board for infants and young children up to age 2 years	26		27	6	1	8
28	examination bed	53			15		1
29	tongue depressor	33	1	19	10		7
30	Tender hammer (Knee hammer)	26	1	26	8		9

AD: Adequate/ NAD: Not Adequate/ NA: Not available

### Human Resource Needs

The primary healthcare policy specifies that every PMCI should have a minimum of two Doctors and one Nursing Officer to ensure the delivery and maintenance of quality PHC services for all citizens. In addition to Medical Officers (MOs) and Nursing Officers (NOs), other essential categories of staff such as MLT and Dispenser, Pharmacist, PHNO, Development Officer etc. are required based on the capacity of the hospitals. This survey aimed to assess the availability in position of graduate MOO and NOO in PNCIs and examine the current staffing situation.

#### Availability of Medical Officers in position (Both MOO and RMO):

Within the North Central Province, namely in the Polonnaruwa region, there is one hospital that does not have a permanent MO, whether graduate MOO or RMOO. These hospitals rely on relief doctors managed by regional authorities.

Furthermore, among the surveyed PNCII, 33 out of 77 still do not meet the minimum requirement of having at least two Medical Officers. It is imperative to note that this shortage should be addressed by increasing the number of MO in these PNCIs.

#### Availability of Nursing Officers in position:

Nursing Officers play a vital role in strengthening PHC services and ensuring the provision of proper care to patients in the PMCI as well as domestically for those who cannot come, including tasks such as vaccination, blood drawing, and ETU care.

However, a significant concern arises within the North Central Province, where 37 PNCIs do not have a single Nursing Officer in position. This issue demands immediate attention from the respective authorities to rectify the staffing gap.

In the following tables the availability of position indicates as follows.

- A- Not available single officer
- B- Available One
- C- Available two
- D- Available Three or more

## Availability of Graduate Medical Officers

Table 39 Availability of Graduate Medical Officers

RDHS Area	Graduate Medical Officers				Total
	A(MO=0)	B(MO=1)	C(MO=2)	D(MO>3)	
Anuradhapura	2	22	14	15	53
Pollonnaruwa	1	15	2	6	24
<b>Grand Total</b>	<b>3</b>	<b>37</b>	<b>16</b>	<b>21</b>	<b>77</b>

## Availability of RMO/AMO

Table 40 Availability of RMO/AMO

RDHS Area	Registered Medical Officers			Grand Total
	A(MO=0)	B(MO=1)	C(MO=2)	
Anuradhapura	41	12		53
Pollonnaruwa	23		1	24
<b>Grand Total</b>	<b>64</b>	<b>12</b>	<b>1</b>	<b>77</b>

## Availability of all medical Officers (Graduate MO and RMO)

Table 41 Availability of all medical Officers (Graduate MO and RMO)

RDHS Area	All Medical Officers				Total
	A(MO=0)	B(MO=1)	C(MO=2)	D(MO>3)	
Anuradhapura		18	18	17	53
Pollonnaruwa	1	15	1	7	24
<b>Grand Total</b>	<b>1</b>	<b>33</b>	<b>19</b>	<b>24</b>	<b>77</b>

## Availability of Nursing Staff

Table 42 Availability of Nursing Staff

RDHA Area	Nursing Officers (NOO)			Grand Total
	A	C	D	
Anuradhapura	21	3	29	53
Pollonnaruwa	16		8	24
<b>Grand Total</b>	<b>37</b>	<b>3</b>	<b>37</b>	<b>77</b>

## Other Essential Categories for Primary Healthcare Services

In addition to the Medical Officers (MOs) and Nursing Officers (NOs), several other categories such as Dental surgeons, MLT, Dispenser, Pharmacist, Development Officer and SKS etc. are required to ensure effective and comprehensive Primary Healthcare (PHC) services. Respective authorities should take necessary actions to mobilize these cadres and address the issue of above categories depending on the specific needs, services, and resources of each Primary Healthcare Center (PMCI) by carefully assessing the requirements of each PHC center. It is essential for the authorities to consider factors such as health needs of the empaneled population, geographical distribution, service demands, and available resources when determining the appropriate cadre and staffing for PMCIs. Regular assessments, monitoring, and evaluation should be conducted to identify emerging needs and ensure that the workforce is adequately enforced to deliver high-quality PHC services.

## Availability of Ward Sister

Table 43 Availability of Ward Sister

RDHS Area	Ward Sister			Grand Total
	A	B	C	
Anuradhapura	40	11	2	53
Pollonnaruwa	22	1	1	24
<b>Grand Total</b>	<b>62</b>	<b>12</b>	<b>3</b>	<b>77</b>

## Availability of Dental surgeon

Table 44 Availability of Dental surgeon

RDHS Area	Dental Surgeon		Total
	A	B	
Anuradhapura	38	15	53
Pollonnaruwa	16	8	24
<b>Grand Total</b>	<b>54</b>	<b>23</b>	<b>77</b>

## Availability of Medical Laboratory Technologists (MLT)

Table 45 Availability of Medical Laboratory Technologists (MLT)

RDHS Area	MLT			Grand Total
	A	B	C	
Anuradhapura	45	7	1	53
Pollonnaruwa	21	3		24
<b>Grand Total</b>	<b>66</b>	<b>10</b>	<b>1</b>	<b>77</b>

## Availability of PHNO

Table 46 Availability of PHNO

RDHS Area	PHNO			Grand Total
	A	B	C	
Anuradhapura	48	5		53
Pollonnaruwa	21	1	2	24
<b>Grand Total</b>	<b>69</b>	<b>6</b>	<b>2</b>	<b>77</b>

## Availability of Pharmacist

Table 47 Availability of Pharmacist

RDHS Area	Pharmacist		Total
	A	B	
Anuradhapura	45	8	53
Pollonnaruwa	20	4	24
<b>Grand Total</b>	<b>65</b>	<b>12</b>	<b>77</b>

## Availability of Dispenser

Table 48 Availability of Dispenser

RDHS Area	Dispenser				Total
	A	B	C	D	
Anuradhapura	1	36	15	1	53
Pollonnaruwa	3	15	6		24
<b>Grand Total</b>	<b>4</b>	<b>51</b>	<b>21</b>	<b>1</b>	<b>77</b>

## Availability of Development Officer

Table 49 Availability of Development Officer

RDHS Area	Development Officer		Total
	A	B	
Anuradhapura	47	6	53
Pollonnaruwa	24		24
<b>Grand Total</b>	<b>71</b>	<b>6</b>	<b>77</b>

## Availability of Management Assistant

Table 50 Availability of Management Assistant

RDHS Area	Management Assistant			Total
	A	B	D	
Anuradhapura	47	5	1	53
Pollonnaruwa	21	3		24
<b>Grand Total</b>	<b>68</b>	<b>8</b>	<b>1</b>	<b>77</b>

### Patient record system and referral mechanism

Under the Ministry of Health (MoH), there are two systems involved in recording patient clinical information: Health Information Management Systems (HIMS) and Hospital Health Information Management Systems (HHIMS).

HIMS primarily operates at Healthy Lifestyle centers within the Primary Health Care Centers (PMCI). These centers serve as the primary care point for patients, offering essential healthcare services. HIMS enables the PMCI to effectively manage and maintain citizen /patient clinical information, including medical histories, risk assessment and stratification based on WHO risk prediction chart. It is proposed to design to cater to the specific needs and workflows of primary healthcare settings. On the other hand, HHIMS is primarily utilized in tertiary/secondary care hospitals, and it is being extended to divisional hospitals too. HIMS, being a cloud-based system officials involved in health planning can access summary data while HHIMS being functional within institutions access to data at national level is impossible.

Received information indicates that out of the total 38 PMCI utilize HIMS system, while the remaining PMCIs have not yet implemented HIMS

### Currently available digital patient record system

Table 51 Currently available digital patient record system

RDHS Area	HIMS	Any Other	Not Reported	Total
Anuradhapura	25	4	24	53
Pollonnaruwa	13	1	10	24
<b>Total</b>	<b>38</b>	<b>5</b>	<b>34</b>	<b>77</b>

## Internet connectivity

When evaluating the internet facilities in PMCII, it is of concern that 30 hospitals out of the total 77 have no internet connectivity. This indicates a significant gap in the connectivity leading to inaccessibility to essential online system at those specific PMCII. It is essential to address this issue and ensure that all PMCII have a reliable internet connectivity to establish cloud based HIMS

Table 52 Internet connectivity

RDHS Area	Yes	No	Total
Anuradhapura	28	25	53
Pollonnaruwa	19	05	24
<b>Total</b>	<b>47</b>	<b>30</b>	<b>77</b>

According to the study, it was found that some PMCII have multiple types of internet connectivity, such as wired and Wi-Fi connections. In order to ensure efficient and effective usage of internet connectivity in PMCI, it is recommended that MoH and provincial health authorities study the feasibility of providing a unified connectivity solution. For example, the below information below depicts that 3 hospitals are having both kind of connectivity i.e., wired and Wi-Fi.

## Nature of the connectivity

Table 53 Nature of the connectivity

RDHS Area	Type of the connectivity								Total
	Fiber	Wired	Wi Fi router	Fiber WIFI	Fiber. Weird, Dongle	Weird & Wi-Fi	No connectivity	Not Reported	
Anuradhapura	1	23	5					24	53
Pollonnaruwa	3	5	6	1	1	3	1	4	24
<b>Grand Total</b>	<b>4</b>	<b>28</b>	<b>11</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>28</b>	<b>77</b>

## Laboratory Investigation Facilities

Laboratory facilities in primary healthcare settings are indeed crucial for NCD management and ensuring quality patient care. While it may not be feasible to establish fully-fledged laboratories in every Primary Health Care Center due to resource constraints, alternative approaches can be adopted to address this issue. One approach is the establishment of a laboratory network, where certain hospitals are designated as sample collection centers. These centers can collect samples from patients and send them to the centralized laboratories or nearby hospitals with a laboratory

for necessary investigations. In the North Central province, several concerns have been identified regarding laboratory facilities. Here is a summary of the highlighted concerns:

Availability of Medical Laboratory Technicians (MLT):

- There are 9 hospitals in the province that have laboratory facilities with MLT staff.
- Two divisional hospitals, type B has relief MLT staff to support laboratory operations.
- Unavailability of MLT in some hospitals: There are three (3) hospitals where the laboratories are not functional due to the unavailability of MLT staff indicating a challenge in recruitment.

Lack of laboratory facilities in some hospitals:

- There are two DHB without laboratory facilities.
- This suggests that patients seeking laboratory services in these areas may need to rely on alternative hospitals or healthcare facilities.

Sample sending from PMCIs to nearby hospitals:

- 24 PMCIs in the North Central province send their samples to nearby hospitals for laboratory testing.

Table 54 Availability of Laboratory facilities

RDHS Area	A			B		D			E			Not Reported		Total
	DHA	DHB	DHC	DHB	DHB	DHC	PMCU	DHB	DHC	PMCU	DHC	PMCU		
Anuradhapura	1	6	1	2	1	3	17	1	17	4			53	
Pollonnaruwa		2	1		1	4	10			2	1	3	24	
<b>Total</b>	<b>1</b>	<b>8</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>7</b>	<b>27</b>	<b>1</b>	<b>17</b>	<b>6</b>	<b>1</b>	<b>3</b>	<b>77</b>	

A - A functioning laboratory with MLT is available

B- Laboratory available, but functions with relief MLT

C- Laboratory available, but not functioning due to the unavailability of MLT

D- No Laboratory

E- Sending samples to nearby labs

**Providing laboratory services to nearby hospitals**

In the North Central province, out of the 11 hospitals with available laboratory facilities, it is noteworthy that they are providing laboratory services to 9 nearby hospitals within the lab network. This indicates a collaborative approach to ensure access to laboratory testing.

Table 55 Laboratory service providing

RDHS Area	Service providing		Total
	DHA	DHB	
Anuradhapura	1	6	7
Pollonnaruwa		2	2
<b>Total</b>	<b>1</b>	<b>8</b>	<b>9</b>

### Alternative Approaches for laboratory Services

In the PSSP project, one of the minimum requirements is the capability to conduct lab tests for glucose and cholesterol. It is essential that all Primary Health Care Centers have a feasible methodology to provide laboratory services to the people. In cases where a PMCI does not have its own laboratory, alternative approaches should be implemented to ensure the availability of investigative facilities.

This survey identified some potential methodologies which are being used by PMCIs:

**Usage of strips:** PMCIs utilize strips or test kits for glucose and cholesterol testing. These strips provide a quick and convenient method for obtaining test results for screening purpose, requiring minimal technology and training.

**Sending samples to nearby hospitals or central laboratories:** In situations where PMCIs are lacking in their own laboratory, samples can be sent to nearby hospitals or central laboratories for testing. This approach ensures that patients can still access to necessary diagnostic investigations within the network.

**Point-of-care machines:** Implementing point-of-care machines in PMCIs facilitate for on-site testing for many variables. These portable devices provide rapid results, enabling immediate diagnosis and treatment decisions. This could be mostly recommended for PMCIs situated in remote areas where sample sending is difficult.


It is crucial to establish at least one of these methodologies in PMCIs to fulfill the minimum requirement set by the PSSP. Failure to do so may result in people seeking private laboratory services, which can be costly and less accessible.

By ensuring access to glucose and cholesterol lab tests through alternative approaches, PMCIs can effectively meet the diagnostic needs of their patients. Managing the minimum required tests in PMCI that do not have their own laboratory involves adopting alternative approaches. According to the survey results, the majority of PMCIs (35 out of 36) utilize the strips method for conducting these tests including 2 DHB, 7 DHC and 26 PMCU. In fact, the survey findings indicate that one PMCI send their samples to a central laboratory for testing. To improve the situation, it is recommended that efforts be made to expand the utilization of alternative methods in PMCI without their own laboratories. This can include implementing the strips method, establishing connections with nearby hospitals or central laboratories for sample testing, or introducing point-of-care machines for on-site testing.

## Alternative laboratory methods

Table 56 Usage of alternative methods for blood glucose

RDHS Area	A			Not reported	Total
	DHB	DHC	PMCU	PMCU	
Anuradhapura	1	3	16	1	21
Pollonnaruwa	1	4	10		15
<b>Grand Total</b>	<b>2</b>	<b>7</b>	<b>26</b>	<b>1</b>	<b>36</b>



A: By glucose meters / Cholesterol meter

B: Point of care

C: By sending sample to laboratory in nearby hospitals

D: By Sending samples to Central Laboratory

E: By patient through private laboratory

## Cholesterol

Table 57 Usage of alternative methods for cholesterol

RDHS Area	Methods						Total
	A		D	Not Responded			
	DHC	PMCU	DHC	DHB	DHC	PMCU	
Anuradhapura	2	1		1	1	16	21
Polonnaruwa	3	10	1	1			15
<b>Grand Total</b>	<b>5</b>	<b>11</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>16</b>	<b>36</b>

## Creatinine

Table 58 Usage of alternative methods for creatinine

RDHS Area	B	C		D	E	Not Responded			Total
	PMCU	DHC	PMCU	DHC	PMCU	DHB	DHC	PMCU	
Anuradhapura						1	3	17	21
Pollonnaruwa	1	1	2	1	6	1	2	1	15
<b>Grand Total</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>6</b>	<b>2</b>	<b>5</b>	<b>18</b>	<b>36</b>

## Drug Supplies

The drug supply chain is of utmost importance in primary health care settings to ensure uninterrupted access to essential medications and provide better services to all citizens. In the context of the PSSP, one of the main capabilities is to ensure that PMCIs maintain an adequate supply of essential drugs with no outages for a period of five-days at any given time.

Proper drug storage plays a crucial role in maintaining the quality and efficacy of medications. Therefore, it is essential for each and every PMCI to have appropriate facilities such as air-conditioning systems and refrigerators. These facilities help to regulate temperature and humidity, ensuring that drugs are stored under optimal conditions. It is the responsibility of provincial health authorities and the PSSP project to prioritize the provision of appropriate infrastructure and equipment, including air-conditioning systems and refrigerators, in PMCIs.

### Drugs Ordering and estimating annual drug requirement

In the survey conducted, it was found that the majority of PMCIs follow a self-assessment approach for drug ordering and estimating the annual drug requirement. Specifically, out of the 77 PMCII surveyed, 75 PMCII reported preparing their annual estimate independently. Additionally, these PMCII assessed their annual drug requirement by increasing a certain percentage from the previous year's estimates. By adopting self-assessment approaches to drug ordering and estimating annual drug requirements, PMCII can enhance their ability to provide essential medications to patients without interruptions. Continuous evaluation and improvement of these practices will contribute to efficient drug management and ultimately improve the quality of care delivered in primary health care settings.

## Drugs Ordering

Table 59 Drugs Ordering

RDHS Area	Annual estimates are prepared by yourself	regional level drug stores will take care of that	Total
Anuradhapura	53		53
Pollonnaruwa	22	2	24
<b>Total</b>	<b>75</b>	<b>2</b>	<b>77</b>

## Estimate annual drug requirements

Table 60 Estimate annual drug requirements

RDHS Area	Increase by a certain percentage from last year's estimates	Not involve at all	Not Reported	Total
Anuradhapura	53			53
Pollonnaruwa	22	1	1	24
<b>Total</b>	<b>75</b>	<b>1</b>	<b>1</b>	<b>77</b>

The survey aimed to investigate the frequency of shortfalls in essential drugs and the practice of prescribing medications and requesting patients to purchase them from outside sources. The results indicate the following trends among the surveyed PMCII (77 in total)

### Frequency of Drug Shortages:

11% of PMCII reported rare occurrences of drug shortfalls during the survey period. This suggests that a majority of PMCII were able to maintain a steady supply of essential drugs without significant interruptions.

31% of PMCII experienced frequent occurrences of drug shortages. This indicates a notable proportion of PMCII faced challenges in maintaining an adequate drug supply, which can impose an adverse impact on patient care and healthcare delivery.

51% of PMCIIs reported occasional shortfalls in drug availability. While not as frequent as the aforementioned category, this still highlights instances where patients may experience transient difficulties in accessing to necessary medications.

### External Prescription Practices:

12% of PMCII managed to provide medications within their own system, indicating that a significant proportion of PMCII were able to meet the medication needs of patients from their own drug supply.


8% of PMCIIs frequently asked patients to buy drugs from outside sources. This suggests that a notable percentage of PMCIIs relied on patient's purchasing power on medications externally, which may have attributed to causes of not maintaining a steady drug supply.

79% of PMCIIs managed to address drug shortages to some extent, potentially through alternative means such as sourcing medications from other facilities or utilizing available resources within the system.

## Shortfall of essential medicines at the institution

Table 61 Shortfall of essential medicines at the institution


RDHS Area	Frequent Occurrence	Sometimes	Rarely	Not Reported	Total
Anuradhapura	18	27	7	1	53
Pollonnaruwa	6	13	4	1	24
<b>Total</b>	<b>24</b>	<b>40</b>	<b>11</b>	<b>2</b>	<b>77</b>



## Prescribe drugs & request patients to buy from outside

Table 62 Prescribe drugs & request patients to buy from outside

RDHS Area	Very Frequency	Sometimes	Rarely	Total
Anuradhapura	4	45	4	53
Pollonnaruwa	2	16	6	24
<b>Total</b>	<b>6</b>	<b>61</b>	<b>10</b>	<b>77</b>



## Drug Storage Facilities

Proper drug storage is crucial for maintaining the quality and efficacy of medications in primary health care settings. The survey findings reveal that almost all PMCI in the North Central province keep drug storage in optimum temperature conditions, primarily utilizing air-conditioning or refrigeration facilities.

Among the 77 PMCIs, the following trends were observed:

### Air-Conditioning Facilities:

66 PMCIs (85%) have dedicated air-conditioned drug storage rooms. These facilities ensure that medications are stored at the recommended temperature to maintain their efficacy.

### Refrigeration Facilities:

In cases where air-conditioning rooms are not available, 66 PMCIs (85%) use refrigerators as an alternative method to maintain the optimum temperature for drug storage.

Only 10 PMCIs (13%) reported not having any refrigeration facilities, suggesting a potential need for improvement in those specific facilities.

These findings indicate that the majority of PMCIs (66 out of 77) have implemented effective measures for drug storage, either through air-conditioned rooms or refrigerators. However, the two PMCIs without any refrigeration facilities should be considered immediately to ensure that all PMCIs adhere to proper drug storage practices.

Provincial health authorities should continue to prioritize the provision of appropriate storage facilities in PMCIs, including air-conditioned rooms or refrigerators, to safeguard the quality of medications. Regular monitoring and maintenance of these storage systems are essential to ensure that drugs remain safe and effective for patient use.

By maintaining optimum temperature conditions for drug storage, PMCIs can contribute to the delivery of quality healthcare services, enhance patient safety, and ensure the efficacy of medications in primary health care settings.

## Good storage facility with AC to store pharmaceuticals

Table 63 Good storage facility with AC to store pharmaceuticals

RDHS Area	Yes	NO	Not reported	Total
Anuradhapura	47	6		53
Pollonnaruwa	19	4	1	24
<b>Total</b>	<b>66</b>	<b>10</b>	<b>1</b>	<b>77</b>

## A refrigerator to store such required

Table 64 A refrigerator to store such required

RDHS Area	Yes	NO	Not reported	Total
Anuradhapura	43	9	1	53
Pollonnaruwa	23	1		24
<b>Total</b>	<b>66</b>	<b>10</b>	<b>1</b>	<b>77</b>

## Citizen engagement committee and Grievances redress

The establishment of Friends of facility Committees (FFCs) and their functions is one of the main disbursements linked indicators in the Primary Health Care Strengthening Project (PSSP). FFCs are expected to work in collaboration with the relevant PMCI and enhance services within the community surrounding hospitals, ultimately improving primary health care delivery. In line with this objective, the Ministry of Health (MoH) developed a comprehensive guideline, which has been approved by the MoH and adopted by all provincial health authorities. A survey was conducted to assess the awareness of the FFC guideline among all Primary Health Care Centers (PMCI) and determine whether they have established FFCs in adherence to the guidelines. Additionally, the survey aimed to evaluate the functionalities of existing FFCs and the implementation of grievance management methods by PMCI. Based on the information received, the following key findings are highlighted:

### Awareness of FFC Guidelines:

Out of the total 77 PMCI, 50 PMCI have demonstrated awareness of the FFC guidelines. This indicates a considerable level of familiarity with the purpose and objectives of FFCs.

The remaining PMCI should be made aware of the FFC guidelines to ensure consistent implementation across all primary health care settings.

### Establishment of FFCs in the North Central Province:

In the North Central Province, 42 PMCI have successfully established FFCs, indicating their commitment to community engagement and improved service delivery.

For the remaining PMCI in the region, it is crucial to initiate the establishment of FFCs to promote community engagement and enhance primary health care services.

### Frequency of FFC Meetings:

Among the PMCI that have established FFCs, it is encouraging to note that most of them conduct quarterly meetings. These meetings serve as platforms for discussing the requirements and processes of primary health care services.

Regular meetings enable effective communication, coordination, and continuous improvement in the delivery of primary health care.

Overall, the findings suggest a positive trend in FFC awareness and implementation in primary health care settings. To maximize the benefits of FFCs, it is essential to ensure that all PMCI are aware of the FFC guidelines and actively work towards establishing FFCs. Ongoing support and guidance should be provided to PMCI, particularly those that have not yet established FFCs, to facilitate the implementation process. Regular FFC meetings should be encouraged to promote collaboration, addressing concerns, and enhance the quality of primary health care services in the respective regions.

### Awareness of Friend of Facility Committee “Suwaseva Mithuro”

Table 65 Awareness of Friend of Facility Committee “Suwaseva Mithuro”

RDHS Area	Yes	No	Not reported	Total
Anuradhapura	28	24	1	53
Polonnaruwa	22	2		24
<b>Total</b>	<b>50</b>	<b>26</b>	<b>1</b>	<b>77</b>

### Establishment of “Suwaseva Mithuro”

Table 66 Establishment of “Suwaseva Mithuro”

RDHS Area	Yes	No	Not reported	Total
Anuradhapura	24	26	3	53
Polonnaruwa	18	3	3	24
<b>Total</b>	<b>42</b>	<b>29</b>	<b>6</b>	<b>77</b>

## How frequently do they meet

Table 67 Establishment of “Suwaseva Mithuro”

RDHS Area	Monthly	Quarterly	Annually	not reported	Total
Anuradhapura	4	21		28	53
Pollonnaruwa	6	8	4	6	24
<b>Total</b>	<b>10</b>	<b>29</b>	<b>4</b>	<b>34</b>	<b>77</b>

## Implementation and Analysis of Grievance Redress Mechanism

The Ministry of Health (MoH) has taken the initiative to establish a Grievance Redress Mechanism (GRM) to address public grievances and provide timely solutions within the health sector. The GRM aims to ensure that grievances raised by the public are effectively managed and resolved at appropriate levels, based on the nature of the grievance. The survey conducted on the implementation of the Grievance Redress Mechanism (GRM) in PMCIs has provided valuable insights into the current status of grievance management and suggests areas for improvement. The following key findings and recommendations have been identified:

### Grievance Box (Suggestion box)

Out of 77 PMCII surveyed, 35 institutes have established grievance boxes at their premises to collect public grievances.

However, there is a need to encourage and promote the establishment of grievance boxes in the remaining 42 Institutes to ensure a standardized and accessible approach for receiving grievances.

### Regular Analysis of Grievances:

Only 31 PMCII reported conducting weekly analysis of grievances received through the grievance boxes.

It is recommended that all PMCII adopt a regular analysis process to systematically review and address public grievances in a timely manner.

### Awareness and Responsibility:

It is crucial for all management staff within PMCI to be aware of the GRM and their role in addressing grievances.

Management should take proactive steps to analyze grievance trends and encourage corrective actions within their authority.

If corrective actions cannot be taken at the local level, management should escalate the grievances and seek guidance and intervention from higher authorities.

## Any grievance/ suggestion box kept at the institution

Table 68 Any grievance/ suggestion box kept at the institution

RDHS Area	Yes	No	Not reported	Total
Anuradhapura	20	33		53
Pollonnaruwa	15	6	3	24
<b>Total</b>	<b>35</b>	<b>39</b>	<b>3</b>	<b>77</b>

## How frequently check the box

Table 69 How frequently check the box

RDHS Area	weekly	monthly	not looking at it	not reported	Total
Anuradhapura	21	1		31	53
Pollonnaruwa	10	5	1	8	24
<b>Total</b>	<b>31</b>	<b>6</b>	<b>1</b>	<b>39</b>	<b>77</b>

## Corrective measures are undertaken in such situations.

Table 70 Corrective measures are undertaken in such situations.

RDHS Area	Yes	No	Not Reported	Total
Anuradhapura	21		32	53
Pollonnaruwa	13	5	6	24
<b>Total</b>	<b>34</b>	<b>5</b>	<b>38</b>	<b>77</b>

## **Conclusion**

The survey results have provided considerable amount of information with regard to the capability of PMCII in North Central province for delivery of primary health care services effectively and efficiently. All officers involved in decision making, managing resources, implementing day today activities, monitoring and supervising should be able to refer to the information provided and take appropriate actions to minimize the gaps indicated so that the people in North central province will enjoy a satisfactory qualitative PHC service.

This survey might have missed some areas of concerns. Therefore, a similar exercise should be conducted regularly at least every two years with an improved questionnaire to reveal any overlooked areas which have public concerns.

It will be noteworthy to compare these results with the information provided in the situation analysis report published in 2019 to make sure that some number of gaps identified early, have been addressed. However, the due attention paid by provincial officers and their commitment will prove an excellent primary care service to the population in North central province.

# Situation Analysis 2023

## Primary Healthcare System Strengthening Project – PSSP

**Section 1 of 4**

- 1. Name of Enumerator : .....
- 2. Designation : .....
- 3. Contact Number : .....
- 4. Email : .....
- 5. Data of visit : .....

**Section 2 of 4**

**Institution Details**

- 1. Provincial Director of Health Services area : .....
- 2. Regional Director of Health Services area : .....
- 3. Name of the PMCI : .....
- 4. Category of the Hospital :
  - Divisional Hospital A
  - Divisional Hospital B
  - Divisional Hospital C
  - PMCU

**Section 3 of 4**

**Services and Infrastructure**

- 3.1 Water supply services to the hospital
  - Well water  Protected well  Unprotected well
  - Tube well
  - Pipe born water
  - Other
- 3.2 Is safe drinking water available in OPD/ Clinic areas?
  - Yes  No
- 3.3 Main source of electricity
  - No electricity
  - Main line
  - Generator
  - Solar power
  - Other
- 3.4 Availability of backup generator
  - Yes  No
- 3.5 If yes Current condition of the generator
  - Working
  - Not working
  - Capacity not adequate
  - Other

3.6 Waste disposal methods

3.6.1 Is the segregation of waste done?

Yes  No

3.6.2 How do you handle disposal of clinical waste?

Burning at premises   
 Incinerating   
 Sending to incinerator available hospital   
 Sending to Local Authorities   
 Other

**Physical space and Infrastructure and HR requirements at Primary care institutions**

**3.7 Physical space and Infrastructure**

	Yes	No	If "No" whether is it required (ple tick)	Adequate*	Not Adequate
Waiting area for patients available					
Space for consultation rooms					
Dispensary /Pharmacist or dispensers room					
Drug store area					
Laboratory room					
Rest room Medical officers					
Rest room for nursing staff					
Rest room for other staff					
Toilet facilities for patients ( male and Female)					
Space for a meeting room					
Pantry area					

\* Please refer to general circular 01-29/2018 published by MoH - physical space norms for primary health care facilities

3.7.1 if any additional requirements/remarks please mention.....  
 .....

**3.8 Availability of Health Quarters and current status**

	Yes	No	fully utilized	Under utilized
Quarters for MOO				
Quarters for NOO				
Any Other quarters*				

3.8.1 Any Other quarters please specify: .....

**Services for curative and preventive care work**

3.9 Infrastructure Facilities to deliver services

	Yes	No	If "No" whether is it required (ple tick	Adequate	Not Adequate
Dental room facilities					
ETU room/ space for emergency care					
Dressing room/space for wound care					
Injection room facilities					
Clinic room/rooms to handle ANC/FP/Well women clinic/NCD care /nutrition promotion work					
Office space for PHMs ( for those who visit from MOH office)					
Office space for PHIs ( for those who visit from MOH office)					
space for breastfeeding					

3.9.1 if any additional requirements/remarks please mention.....  
 .....

**Minimum preparedness to provide covid 19 and or any communicable diseases outbreak emergency responses at OPD and Emergency Department care**

3.10 Availability of facilities and services to manage any out diseases outbreak emergency Responses

	Yes	No
Separate areas to manage suspected patients to have Covid-19 infection or any other epidemic		
Separate triage area Sign posted at the entrance of all hospitals		
Major symptoms/risk factors should be displayed at the entrance All OPDs		

**Equipment and other items used for NCD screening and diagnosis**

3.11 Availability of essential medical equipment

	Yes	No	Number Adequate	Number Not Adequate
Blood pressure apparatus				
Microscope				
Thermometer				
Nebulizer				

ECG machine				
Oxygen supply cylinders				
Ophthalmoscope				
Measurement tape & stadiometer				
Weighing machine				
Pulse oximeter				
Glucometer and strips				
Cholesterol meter and strips				
Urine ketone tests				
Spaces for inhalers				
Tuning fork				
Snellen chart				
Torch				
WHO/ISH prediction chart				
Evidence based clinical protocols				
Flow charts with referral criteria				
Patient clinical records				
Medical information register				
Stethoscopes				
Weight scale with or without height measuring				
Height measuring rod for children and adults				
Weighing scales for infants				
Length board for infants and young children up to age 2 years				
Examination bed				
Tongue depressor				
Tendon hammer (knee hammer)				

## **Human resource needs**

### 3.12 Availability of HR

	Approved cadre	In position
Medical officers		
Dental surgeon		
RMO/AMO		
Ward Sister		
Nursing staff		
Medical Lab Technicians (MLT)		
Pharmacist		
Dispenser		
PHNO		
Development Officer		
Management Assistant		
SKS staff		
Multi task force (Bahukarya) staff		

Project-Related Specific Question

4.1 Does the institution has facilities to conduct cervical cancer screening (PAP smear testing)

Yes  No

4.2 Do you have the facilities for sputum collection for TB Screening

Yes  No

4.3 Dose the hospital have facilities to deliver primary oral health care package?

Yes  No

4.4 Dose the hospitals has facilities to manage the basic emergencies

Yes  No

4.5 Are you providing routine nutrition counselling services through the hospital?

Yes  No

4.6 Are you providing mental health activities or conduct clinics?

Yes  No

**Patient record system and referral mechanism**

4.8 Currently available digital patient record system

HIMS  HHIMS  Any Other .....

4.9 Does the hospital have internet facility?

Yes  No

4.10 If yes what kind of connectivity?

Fibre   
 Wired   
 Wi Fi router   
 Dongle   
 Other

4.11 Does the hospital have local wired network system?

Yes  No

4.12 Do you have computer facilities at the institute?

Yes  No

**Laboratory investigation facilities**

5. Availability of laboratory facilities

- A. Functioning laboratory with MLT is available
- B. Laboratory available , but functions with relief MLT
- C. Laboratory available, but not functioning due to the unavailability of MLT
- D. No laboratory
- E. Sending samples to nearby lab

5.1 If your answer to question No 05 is "A", do you provide laboratory services to the nearby hospitals and MOHs

- Yes  No

5.2 If answer is "Yes" please indicate name of Hospitals and MOHs

.....

5.3 If your answer to question No 05 is "B" & "C", Do you have a MLT in the approved hospital carder?

- Yes  No

5.4 If your answer to question No 5 is "C" or "D" how do you provide following basic laboratory facilities

	By glucose meter / Cholesterol meter	By point of care analyser	By sending sample to laboratory in nearby hospital	By sending samples to central laboratory	By patient through private laboratory
Blood glucose					
Cholesterol					
Creatinine					

**Drug supplies**

6. How do you make the orders for medical supplies

- Annual estimates are prepared by you
- Regional level drug stores will take care of that
- Regional office will discuss with you and do the calculations
- No specific mechanism to do this

6.1 How do you estimate your annual drug requirements?

- Increase by certain percentage from last year's estimates
- Regional level officers will do the calculations
- Not involve at all

6.2 How frequently you experience with shortfall of essential medicines at your institution

- Frequent occurrence
- Sometimes
- Rarely

6.3 How frequently you prescribe drugs and request patients to buy from outside pharmacies

- Very frequently
- Sometimes
- Rarely

6.4 Do you have a good storage facility with AC to store pharmaceuticals

Yes  No

6.5 Do you have a refrigerator to store such required

Yes  No

### **Citizen Engagement**

6.6 Are you aware about existing government guidelines on functioning of Friends of facility committee "Suwasewa Mithuro"

Yes  No

6.7 Have you established a "Friends of facility committee?"

Yes  No

6.8 How frequently they meet

- Monthly
- Quarterly
- Annually

6.9 Is there any appointment system adopted at the institution for consulting patients

Yes  No

6.10 Is there any grievance/suggestion box kept at the institute.

Yes  No

6.11 If Yes- How frequently you check the box

- Weekly
- Monthly
- Not looking at it

6.12 Any corrective measures are undertaken in such situations.

Yes  No

In addition to the above details, are there any things you suggest to improve the services

.....  
.....

**Authorization**

**I hereby declare that the information given above is true and accurate to the best of my knowledge.**

.....  
**Authorized Officers' Name and designation**

**Date:**

.....  
**Authorized Officers' Signature**

